

Stock Range **MDF**

1 APRIL 2026



THE MDF STOCK RANGE AT A GLANCE

FIBRABEL

Fibrabel MDF stands for top quality. Thanks to its superior surface, this board offers the perfect base for numerous applications. Ideal for e.g. lacquering or painting.

<h3>STANDARD MDF</h3> <p>STANDARD MDF for use in a dry environment.</p> <ul style="list-style-type: none"> • bedroom • living room • dressing room • ... 		Fibrabel LF+ Fibrabel Ultralight LF+
		
		Fibrabel Black LF+
		Fibrabel Prime
<h3>MR MDF</h3> <p>Moisture-resistant MDF for use in humid environments.</p> <ul style="list-style-type: none"> • bathroom • window frame • skirting board • ... 		Fibrabel MR LF+
		
		
		
		
		
		Fibrabel MR Prime
<h3>FR MDF</h3> <p>Fire-retardant MDF for a fire-safe environment.</p> <ul style="list-style-type: none"> • commercial buildings • public buildings • technical rooms • ... 		Fibrabel FR LF+ Fibrabel FR Wheelmark LF+
		Fibrabel FR Uncoloured LF+
		
		

Smaller quantities? All Fibrabel & Fibralux stock references in widths 1220 & 1310 mm can be ordered per piece.

Exception: Fibralux 3 & 4 mm and the Prime items.

FIBRALUX

Thanks to its high density, Fibrалux MDF forms the ideal base for structural applications or more complex processing such as milling.

FIBROFIT

Fibrofit MDF is designed for non-structural interior applications where simple processing and finishing are key.

FIBROMAX

Due to its high density, Fibromax MDF performs excellently in non-structural interior applications.

Fibrалux LF+	Fibrofit LF+	Fibromax Pro LF+ Fibromax LF+
Fibrалux Biobased		
	Fibrofit Paint	Fibromax Pro Paint Fibromax Paint
Fibrалux MR LF+	Fibrofit MR LF+	Fibromax MR LF+
		Fibromax MR Uncoloured LF+
Fibrалux MR Black LF+ Decorative - Fibrалux MR Black		
Fibrалux MR Grey LF+ Decorative - Fibrалux MR Grey		
Fibrалux MR FR NAF		
		Fibromax Compact MR Black LF+
Fibrалux MR Prime		Fibromax MR Paint
Fibrалux FR LF+ Fibrалux FR Wheelmark LF+		
Fibrалux FR Black LF+		
Fibrалux MR FR NAF		

STOCK RANGE MDF

MDF Standard	6
MDF Standard - Ultralicht	9
MDF Standard - High density	10
MDF Moisture Resistant (MR)	12
MDF Fire Retardant (FR)	14
MDF Raw core coloured	18
Decorative MDF (Transparent lacquered core coloured)	20
MDF Ready to paint	24
MDF No added formaldehyde resin (NAF) & Biobased MDF	26
Compact MDF	27

REACH 2026: what does this mean for you?

In **August 2026**, the new **European REACH regulation** comes into force, with stricter standards for **formaldehyde emissions**. We are ready: since 1 April 2026, our entire stock programme consists exclusively of REACH-compliant products. Do you have any questions? Email us at info.panels@unilin.com.

Sustainability comes as standard in our MDF boards:



- The wood used in our MDF boards is **100% recovered wood**
- Available with **FSC or PEFC certification** on request
- **EPD** available for all our MDF boards
- **FDES** also available for all our MDF boards

**A world first
in MDF recycling**



Did you know we're the first to recycle MDF on an industrial scale? End-of-life MDF and HDF no longer go to landfill or incineration. We separate the fibres and reuse them as raw material for new boards. The result? Lower energy use and CO₂ that stays locked in for longer.

In the coming years, we aim to replace a quarter of all fibres in our MDF mix with recycled fibres, across every site.

Want to know how our MDF recycling works and discover more of our Wood Revolutions? Explore the story at unilinpanels.com.



MDF STANDARD



FIBRABEL LF+



- L-MDF (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
8	90	58632	1,42	90	58633	1,78
9	80	58634	1,42	80	58635	1,78
10	72	58636	1,40	72	58637	1,75
12	60	58669	1,40	60	58670	1,75
15	50	58672	1,46	50	58673	1,82
16	45	58674	1,36	45	58675	1,70
18	40	58679	1,35	40	58680	1,69
19	40	58683	1,43	40	58684	1,78
22	32	58727	1,30	32	58728	1,63
25	28	58731	1,30	28	58732	1,62
28	24	58734	1,27	24	58735	1,58
30	24	58737	1,35	24	58738	1,69
38	20	58740	1,42	20	58741	1,78

thickness (mm)	1310x3050 mm			1250x2500 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
16	45	58676	1,82			
18	40	58682	1,82	50	58681	1,73
22	32	58729	1,75			
28	24	58736	1,70			
38	20	58742	1,91			

thickness (mm)	2200x3660 mm			2200x4150 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10	42	58668	2,26			
12	36	58671	2,32			
16	27	58678	2,25	25	58677	2,37
19	24	58686	2,37	20	58685	2,26
22	21	58730	2,36			
25	18	58733	2,30			
30	15	58739	2,34			
40	12	61261	2,49			



MDF STANDARD

FIBROFIT LF+



- L-MDF (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	100	58662	1,71	100	58663	2,14
10	90	58664	1,66			
12	75	58665	1,66	75	58666	2,07
15	60	58667	1,65	60	58718	2,07
16	60	58719	1,76	60	58720	2,20
18	50	58721	1,65	50	58722	2,07
19	50	58723	1,74			
22	40	58725	1,62			
25	32	58726	1,47			

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
19	29	58724	2,01





MDF STANDARD - ULTRALIGHT

FIBRABEL ULTRALIGHT LF+



- UL2-MDF (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	60	58576	1,16	60	58577	1,46
15	50	58591	1,21	50	58592	1,51
18	40	58595	1,16	40	58596	1,45
25	28	58602	1,15			
38	20	58606	1,24	20	58607	1,56

thickness (mm)	2200x3660 mm		
	#/pack	article	weight/pack
19	24	58601	2,04



MDF STANDARD - HIGH DENSITY

FIBRALUX LF+



- MDF.LA (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV



thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
3*	240	31778	1,74			
4*	192	32986	1,98			
6	120	58638	1,79	120	58639	2,24
10	72	58642	1,61	72	58643	2,02
12	60	58644	1,61	60	58645	2,02
16	45	58648	1,59	45	58649	1,99
18	40	58650	1,59	40	58651	1,99
19	40	58652	1,67	40	58653	2,09
22	32	58654	1,49	32	58655	1,87
25	28	58656	1,48	28	58657	1,86

* Non-sanded board. Not suitable for any surface finishing.



MDF STANDARD - HIGH DENSITY

FIBROMAX PRO LF+



- L-MDF (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	2070x2800 mm			2070x4100 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
3	100	42970	1,42			
6	74	50568	2,04			
8	60	50569	2,05	51	50571	2,57
10	51	50570	2,01	44	50572	2,56
12	43	50578	2,04	36	50583	2,52
16	32	50579	2,02	27	50584	2,51
19	24	50580	1,81	23	50585	2,54
22	23	50581	1,99	20	50586	2,55
25	21	50582	2,06	18	50587	2,60
28	20	45098	2,01			
30	17	45097	1,90			
38	15	45099	2,04			

thickness (mm)	1220x2280 mm			1310 x 3060 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10	90	58329	1,67			
18				33	58563	1,61

FIBROMAX LF+



- MDF (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
6	138	59074	2,03	99	59082	1,83
9	88	59075	1,84			
10	84	59076	1,93			
12	68	59077	1,87	68	59083	2,34
16	52	59078	1,85	52	59084	2,32
18	44	59079	1,77	44	59085	2,21
19	44	59080	1,86	44	59086	2,33
22	36	59081	1,74	36	59087	2,18


thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
10	44	59088	2,01
12	38	59089	2,07
16	29	59090	2,06
18	25	59091	1,97
19	24	59092	2,02
22	21	59093	2,01



MDF MOISTURE RESISTANT (MR)



FIBRABEL MR LF+



- L-MDF.H (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	60	60615	1,38	60	60616	1,72
15	50	60621	1,43	50	60622	1,79
16	45	59851 (new)	1,35	45	59852 (new)	1,68
18	40	60403	1,37	40	60404	1,72
19	40	59853 (new)	1,41	40	59854 (new)	1,77
22	32	60720	1,32	32	60721	1,66
30	24	59855 (new)	1,32	24	59856 (new)	1,65
38	20	60724	1,42	20	60725	1,78

thickness (mm)	1310x3050 mm			2200x3660 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10				42	62008 (new)	2,20
16				27	62009 (new)	2,20
18	40	60405	1,82			
19				24	62010 (new)	2,32
22				21	62011 (new)	2,31
38	20	60726	1,91			



FIBRALUX MR LF+



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV


thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
6	120	60949	1,79	120	60950	2,24
9	80	60956	1,64	80	60957	2,05
12	60	60640	1,59	60	61051	1,99
15	50	60660	1,68	50	60661	2,10
16	45	60664	1,61	45	60665	2,02
18	40	60775	1,61	40	60776	2,01
19	40	60786	1,70	40	60787	2,12
22	32	60296	1,51	32	60297	1,89
25	28	60584	1,50	28	60585	1,88
30	24	60589	1,55	24	60590	1,93

thickness (mm)	1220x2150 mm			1310x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
16				45	60666	2,17
18	40	60777	1,42			
22				32	60578	2,03



MDF MOISTURE RESISTANT (MR)


FIBROFIT MR LF+



- L-MDF.H (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	75	59293	1,66	75	59294	2,07
15	60	59299	1,65			
18	50	59314	1,65	50	59313	2,07

FIBROMAX MR LF+



- MDF.H (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
12	68	59728	1,87	68	59729	2,34
15	56	59607	1,87	56	59608	2,34
16	52	59738	1,85	52	59739	2,32
18	44	59664	1,77	44	59665	2,21
19	44	59784	1,86			
22	36	59609	1,74	36	59793	2,18

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
18	25	59780	1,97

FIBROMAX MR UNCOLOURED LF+



- MDF.H (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
12	38	61272	2,07
16	29	61268	2,06
19	24	61271	2,02
22	21	61269	2,01



MDF FIRE RETARDANT (FR)



FIBRABEL FR LF+



- L-MDF FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
12	60	60080	1,46	60	60081	1,83	B-s2-d0
15	50	60086	1,48	50	60087	1,85	B-s1-d0
16	45	60091 (new)	1,42	45	60092 (new)	1,78	B-s1-d0
18	40	60132	1,42	40	60133	1,77	B-s1-d0
19	40	60138 (new)	1,49	40	60139 (new)	1,87	B-s1-d0
22	32	60143 (new)	1,39	32	60144 (new)	1,73	B-s1-d0
25	28	60145 (new)	1,40	28	60146 (new)	1,75	B-s1-d0
30	24	60148 (new)	1,44	24	60149 (new)	1,80	B-s1-d0

thickness (mm)	1310x3050 mm			2070x2800 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
12				50	60083 (new)	2,32	B-s2-d0
16				40	60095 (new)	2,40	B-s1-d0
18	40	60134	1,90				B-s1-d0
19				30	60142 (new)	2,14	B-s1-d0



FIBRABEL FR WHEELMARK LF+



- L-MDF FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 / IMO Wheelmark

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
15	50	60267	1,46	50	60968	1,82	B-s1-d0
18	40	60973	1,40	40	60974	1,75	B-s1-d0



FIBRABEL FR UNCOLOURED LF+



- L-MDF FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	2070x2800 mm			2200x3660 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
10				45	60078	2,56	B-s2-d0
12				38	60082	2,55	B-s2-d0
16	40	60093	2,47	28	60094	2,44	B-s1-d0
19	30	60140	2,21	24	60141	2,48	B-s1-d0
25				18	60147	2,48	B-s1-d0



MDF FIRE RETARDANT (FR)



FIBRALUX FR LF+



- MDF.LA FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
6	120	60360	1,82	120	60361	2,27	B-s2-d0
9	80	60364	1,68	80	60365	2,10	B-s2-d0
12	60	60381	1,64	60	60382	2,05	B-s1-d0
15	50	60391	1,68	50	60392	2,10	B-s1-d0
16	45	60395	1,61	45	60396	2,02	B-s1-d0
18	40	60244	1,61	40	61353	2,01	B-s1-d0
19	40	61351	1,70	40	61354	2,12	B-s1-d0
22	32	60268	1,55	32	61355	1,94	B-s1-d0
25	28	61352	1,55	28	61356	1,93	B-s1-d0
30	24	60281	1,59	24	60282	1,99	B-s1-d0

thickness (mm)	2200x3660 mm			Euroclass
	#/pack	article	weight/pack	
19	24	60259	2,81	B-s1-d0



FIBRALUX FR WHEELMARK LF+



- MDF.LA FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 / IMO Wheelmark

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
12	60	60218	1,64	60	60219	2,05	B-s1-d0
15	50	60220	1,68	50	60221	2,10	B-s1-d0
16	45	60222	1,61	45	60223	2,02	B-s1-d0
18	40	60224	1,61	40	60225	2,01	B-s1-d0
19	40	60226	1,66	40	60227	2,08	B-s1-d0
22	32	60229	1,53	32	60230	1,92	B-s1-d0
25	28	60231	1,52	28	60232	1,91	B-s1-d0
30	24	60233	1,57	24	60234	1,96	B-s1-d0

thickness (mm)	2200x3660 mm			Euroclass
	#/pack	article	weight/pack	
19	24	60228	2,81	B-s1-d0



MDF FIRE RETARDANT (FR)



FIBRALUX FR BLACK LF+



- MDF.LA FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
9	80	60306	1,68	80	60307	2,15	B-s2-d0
12	60	60308	1,64	60	60309	2,05	B-s2-d0
16	45	60314	1,61	45	60315	2,02	B-s1-d0
18	40	60318	1,61	40	60319	2,01	B-s1-d0
19	40	60321	1,70	40	60322	2,12	B-s1-d0

MOQ: 25 panels, followed by a multiple of 5 panels.

MOQ: 20 panels, followed by a multiple of 4 panels.

thickness (mm)	1310x3050 mm			Euroclass
	#/pack	article	weight/pack	
18	40	60320	2,16	B-s1-d0

MOQ: 20 panels, followed by a multiple of 4 panels.
If panel width 1300 or 1310 mm is ordered, an equal number of boards in width 1220 mm needs to be ordered as well.



FIBRALUX MR FR NAF



- MDF.H FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
16	45	33140	1,61	45	33144	2,02	B-s1-d0
18	40	33141	1,61	40	33145	2,01	B-s1-d0
19	40	33142	1,70	40	33146	2,12	B-s1-d0

thickness (mm)	2070x2800 mm			Euroclass
	#/pack	article	weight/pack	
16	40	44432	2,80	B-s1-d0
19	30	44433	2,50	B-s1-d0





MDF RAW CORE COLOURED



FIBRABEL BLACK LF+



- L-MDF (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	80	51559	1,42	80	51560	1,78
12	60	51537	1,36	60	51558	1,70
18	40	55441	1,32	40	55442	1,65

thickness (mm)	1310x3050 mm			2070x2800 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
10				60	44853	2,28
12				50	44854	2,21
16				40	44855	2,36
18	40	55443	1,77	30	44856	2,00
19				30	44857	2,11
22				25	44858	2,10
25				22	44859	2,10
30				19	44860	2,17



FIBRALUX MR BLACK LF+



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
6	120	60454	1,79	120	60455	2,24
9	80	60460	1,64	80	60461	2,05
12	60	60467	1,59	60	60468	1,99
16	45	60654	1,57	45	60655	1,97
18	40	60699	1,57	40	60700	1,96
19	40	60569	1,65	40	60570	2,07
22	32	60575	1,51	32	60576	1,89
25	28	60649	1,50	28	60650	1,88

thickness (mm)	1310x3050 mm			2070x2800 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	40	60704	2,10	30	60701	2,31
19				30	60571	2,37



MDF RAW CORE COLOURED



FIBRALUX MR GREY LF+



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	40	60545	1,63	40	60546	2,04
19	40	60549	1,72	40	60550	2,15



FIBRALUX FR BLACK LF+



- MDF.LA FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
9	80	60306	1,68	80	60307	2,15	B-s2-d0
12	60	60308	1,64	60	60309	2,05	B-s2-d0
16	45	60314	1,61	45	60315	2,02	B-s1-d0
18	40	60318	1,61	40	60319	2,01	B-s1-d0
19	40	60321	1,70	40	60322	2,12	B-s1-d0

MOQ: 25 panels, followed by a multiple of 5 panels.

MOQ: 20 panels, followed by a multiple of 4 panels.

thickness (mm)	1310x3050 mm			Euroclass
	#/pack	article	weight/pack	
18	40	60320	2,16	B-s1-d0

MOQ: 20 panels, followed by a multiple of 4 panels.
If panel width 1300 or 1310 mm is ordered, an equal number of boards in width 1220 mm needs to be ordered as well.



DECORATIVE MDF (TRANSPARENT LACQUERED CORE COLOURED)

DECORATIVE-FIBRALUX MR BLACK OL100/SM1 (ORIGINAL BLACK/SUPER MATT)



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fingerprint proof & soft touch and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400057451	1,04
19	20	400057450	1,09

DECORATIVE-FIBRALUX MR GREY OL101/SM1 (METEOR GREY/SUPER MATT)



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fingerprint proof & soft touch and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072812	1,04
19	20	400072811	1,09

DECORATIVE-FIBRALUX MR GREY OL102/SM1 (MERCURY GREY/SUPER MATT)



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fingerprint proof & soft touch and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072813	1,04
19	20	400072814	1,09

DECORATIVE-FIBRALUX MR BLACK OL100/SA1 (ORIGINAL BLACK/SATIN)



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Silk gloss laquer and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072708	1,04
19	20	400072719	1,09

DECORATIVE-FIBRALUX MR BLACK OL100/HG1 (ORIGINAL BLACK/HIGH GLOSS)




- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- High gloss laquer and protective plastic foil on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	20	400072697	1,04
19	20	400072698	1,09

EDGE TAPE

EDGE TAPE FOR DECORATIVE MDF

Unilin reference	finish	ABS 1 mm 75m/roll
OL100 - Original Black	SM1 - Super Matt	61008873
OL100 - Original Black	SA1 - Satin	61008874
OL100 - Original Black	HG1 - High Gloss	61008870
OL101 - Meteor Grey	SM1 - Super Matt	61008876
OL102 - Mercury Grey	SM1 - Super Matt	61008877







MDF READY TO PAINT



FIBRABEL PRIME




- L-MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV
- White primer coating on both sides.

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	80	400107163	1,42			
12	60	400107164	1,40	60	400107361 (new)	1,75
16	45	400107162	1,34			
18	40	400107101	1,33	40	400107100	1,67



FIBRABEL MR PRIME




- L-MDF.H (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- White primer coating on both sides.

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	40	400107130	1,35	40	400107131	1,69



FIBRALUX MR PRIME



- MDF.HLS (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- White primer coating on both sides.

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
12	60	400107152	1,99
18	40	400107129	1,96



MDF READY TO PAINT

FIBROFIT PAINT



- L.MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
9	42	123472	0,79	42	113645	0,98
12	42	123473	0,99			
16	42	123471	1,29			
18	42	123470	1,44	30	123468	1,30

FIBROMAX PAINT



- MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
19	24	123467	2,07


FIBROMAX PRO PAINT



- L.MDF (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	2070x2800 mm		
	#/pack	article	weight/pack
10	24	153538	1,07
12	24	153539	1,25
16	24	153540	1,61
19	24	153541	1,88

FIBROMAX MR PAINT



- MDF.H (EN622-5)
- Compliance: E1 / REACH / ChemVerbotsV

thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/pack	article	weight/pack	#/pack	article	weight/pack
18	42	127553	1,73	42	122417	2,17



MDF NO ADDED FORMALDEHYDE RESIN (NAF) & BIOBASED MDF



FIBRALUX MR FR NAF



- MDF.H FR (EN622-5)
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

thickness (mm)	1220x2440 mm			1220x3050 mm			Euroclass
	#/pack	article	weight/pack	#/pack	article	weight/pack	
16	45	33140	1,61	45	33144	2,02	B-s1-d0
18	40	33141	1,61	40	33145	2,01	B-s1-d0
19	40	33142	1,70	40	33146	2,12	B-s1-d0

thickness (mm)	2070x2800 mm			Euroclass
	#/pack	article	weight/pack	
16	40	44432	2,80	B-s1-d0
19	30	44433	2,50	B-s1-d0

FIBRALUX BIOBASED



- MDF (EN622-5)
- MDF crafted from 100% recovered wood and vegetal glue.
- Compliance: E1 / REACH / CARB NAF / EPA TSCA VI NAF / ChemVerbotsV

thickness (mm)	1220x3050 mm		
	#/pack	article	weight/pack
18	40	51491	1,97



COMPACT MDF










FIBROMAX COMPACT MR BLACK LF+



- Density > 1000 kg/m³
- Compliance: E1 / REACH / CARB II / EPA TSCA VI / ChemVerbotsV
















thickness (mm)	1300x3050 mm		
	#/pack	article	weight/pack
6	30	54244	0,85
10	30	54246	1,35
12	30	54248	1,60
13	30	54250	1,72

SUBSTRATES FOR BONDING WITH HPL






board size (mm)	thickness (mm)	Fibrabel				Fibralux			Fibromax	
		Fibrabel LF+	Fibrabel MR LF+	Fibrabel FR LF+	Fibrabel Black LF+	Fibralux MR LF+	Fibralux MR Black LF+	Fibralux FR Black LF+	Fibromax Pro LF+	Fibromax Compact MR Black LF+
										
1310x3050	6									• 1300x3050
	10									• 1300x3050
	12									• 1300x3050
	13									• 1300x3050
	16	•				•				
	18	•	•	•	•		•	•	•	1310x3060
	22	•				•				
	28	•								
	38	•	•							

Smaller quantities?
All above stock references can be ordered per piece.

JUMBO SIZES

board size (mm)	thickness (mm)	Fibrabel					Fibralux			Fibrofit	Fibromax					
		Fibrabel Utraight LF+	Fibrabel LF+	Fibrabel FR LF+	Fibrabel FR Uncoloured LF+	Fibrabel Black LF+	Fibralux MR Black LF+	Fibralux FR LF+	Fibralux MR FR NAF	Fibrofit LF+	Fibromax Pro LF+	Fibromax LF+	Fibromax MR LF+	Fibromax MR Uncoloured LF+	Fibromax Paint	Fibromax Pro Paint
																
2070x2800	3															
	6															
	8															
	10															
	12															
	16															
	18															
	19															
	22															
	25															
	28															
	30															
38																
2070x4100	8															
	10															
	12															
	16															
	19															
	22															
	25															
2200x3660	10															
	12															
	16															
	19															
	22															
	25															
	30															
	40															
2200x4150	16															
	19															

FIRE RETARDANT MDF (FR)













board size (mm)	thickness (mm)	Fibrabel		Fibralux		
		Fibrabel FR LF+	Fibrabel FR Uncoloured LF+	Fibralux FR LF+	Fibralux FR Black LF+	Fibralux MR FR NAF
						
1220x2440 + 1220x3050	6			•		
	9			•	•	
	12	•		•	•	
	15	•		•		
	16	•		•	•	•
	18	•		•	•	•
	19	•		•	•	•
	22	•		•		
	25	•		•		
30	•		•			
1310x3050	18	•			•	
2070x2800	12	•				
	16	•	•			•
	19	•	•			•
2200x3660	10		•			
	12		•			
	16		•			
	19		•	•		
	25		•			

 On request, available from stock with IMO Wheelmark certificate.

Smaller quantities?

All above stock references in width 1220 and 1310 mm can be ordered per piece.

MOISTURE RESISTANT MDF (MR)

board size (mm)	thickness (mm)	Fibrabel		Fibralux				Fibrofit	Fibromax				
		Fibrabel MR LF+	Fibrabel MR Prime	Fibralux MR LF+	Fibralux MR Black LF+	Fibralux MR Grey LF+	Fibralux MR FR NAF	Fibralux MR Prime	Fibrofit MR LF+	Fibromax MR LF+	Fibromax MR Uncoloured LF+	Fibromax Compact MR Black LF+	Fibromax MR Paint
													
1220x2440 + 1220x3050	6			•	•								
	9			•	•								
	12	•		•	•			(not in 2440)	•	•			
	15	•		•					•	•			
	16	•		•	•		•			•			
	18	•	•	•	•	•	•	(not in 2440)	•	•			•
	19	•		•	•	•	•			•	(not in 3050)		
	22	•		•	•					•			
	25			•	•								
	30	•		•									
38	•												
1310x3050	16			•									
	18	•			•								
	22			•									
	38	•											
1300x3050	6											•	
	10											•	
	12											•	
	13											•	
1220x2150	18			•									
2070x2800	12										•		
	16						•				•		
	18				•					•			
	19				•		•				•		
	22										•		

Smaller quantities?

All above stock references Fibrabel & Fibralux in width 1220 and 1310 mm can be ordered per piece (with the exception of MR Prime).

Unilin Panels

Unilin Panels – part of the Unilin group – has been supplying innovative wood based solutions for building and interior design projects since 1960. Our chipboard, medium density fibreboard (MDF), High-Density fibreboard (HDF), High Pressure Laminate (HPL) and melamine-faced chipboards find their way to merchants in building materials and timber, industrial processors and DIY-chains worldwide.

We develop solutions tailored to your specific needs with creativity and innovation as the key drivers of our business. We continuously invest in product design and new technologies. Hence, we're recognized as a leading international player and a reliable partner in in our niche sector.

Our 1,300 employees give their all, day after day, at our production units in Belgium, France and the Netherlands. Altogether we produce 2.5 million m³ of panels per year.

The information provided is correct at the time of printing. For the most recent version of our stocklist, please consult our website. Contact your Unilin Panels representative for additional information.

PRIME

We offer a flexible make-to-order range for ready-to-paint panels with white prime coating.

Once a picking order has been executed (packed), it is no longer possible to cancel the order. The order will be shipped and invoiced.



Breestraat 2B
8710 Wielsbeke
Belgium
T +32 56 66 70 21

info.panels@unilin.com
www.unilinpanels.com



Check the current stock on My Panels:

my.unilinpanels.com. No account yet? Get in touch with your sales contact and enjoy all the benefits of our My Panels platform.



Free sample service

Scan the QR code for additional info, documents and free larger samples or visit unilinpanels.com.